

Package: zTree (via r-universe)

September 18, 2024

Type Package

Title Functions to Import Data from 'z-Tree' into R

Version 1.0.7

Date 2021-11-03

Author Oliver Kirchkamp

Maintainer Oliver Kirchkamp <oliver@kirchkamp.de>

Description Read '.xls' and '.sbj' files which are written by the Microsoft Windows program 'z-Tree'. The latter is a software for developing and carrying out economic experiments (see <<http://www.ztree.uzh.ch/>> for more information).

License GPL-3 | file LICENSE

Depends R (>= 3.1.0)

Imports plyr (>= 1.0)

NeedsCompilation no

Date/Publication 2021-11-03 16:10:02 UTC

Repository <https://kirchkamp.r-universe.dev>

RemoteUrl <https://github.com/cran/zTree>

RemoteRef HEAD

RemoteSha a5af9e568fb86860375e64e998016638f811e42d

Contents

| | |
|-------------------------|---|
| zTree-package | 2 |
| toLongDate | 3 |
| zTreeSbj | 4 |
| zTreeTables | 5 |

| | |
|--------------|----------|
| Index | 7 |
|--------------|----------|

zTree-package

Functions to Import Data from 'z-Tree' into R

Description

Read '.xls' and '.sbj' files which are written by the Microsoft Windows program 'z-Tree'. The latter is a software for developing and carrying out economic experiments (see <http://www.ztree.uzh.ch/> for more information).

Details

The DESCRIPTION file:

```

Package:      zTree
Type:         Package
Title:        Functions to Import Data from 'z-Tree' into R
Version:      1.0.7
Date:         2021-11-03
Author:       Oliver Kirchkamp
Maintainer:   Oliver Kirchkamp <oliver@kirchkamp.de>
Description:  Read '.xls' and '.sbj' files which are written by the Microsoft Windows program 'z-Tree'. The latter is a software
License:      GPL-3 | file LICENSE
Depends:      R (>= 3.1.0)
Imports:      plyr (>= 1.0)

```

Index of help topics:

```

toLongDate      Converts short (old) 'z-Tree' dates into long
                 (new) 'z-Tree' dates.
zTree-package   Functions to Import Data from 'z-Tree' into R
zTreeSbj        Read '.sbj' files generated by 'z-Tree' into R
zTreeTables     Read '.xls' files generated by 'z-Tree' into R

```

Author(s)

Oliver Kirchkamp Maintainer: Oliver Kirchkamp <oliver@kirchkamp.de>

References

Urs Fischbacher. "z-Tree: Zurich Toolbox for Ready-made Economic Experiments." *Experimental Economics* (2) 171-178, 2007.

Oliver Kirchkamp. "Importing z-Tree data into R." *Journal of Behavioral and Experimental Finance* (22), 1-2, 2019.

Examples

```
## Not run:  
zTT <- zTreeTables(c("080712_1412.xls", "080712_1818.xls"))  
  
## End(Not run)
```

| | |
|------------|--|
| toLongDate | <i>Converts short (old) 'z-Tree' dates into long (new) 'z-Tree' dates.</i> |
|------------|--|

Description

Old versions of 'z-Tree' stored dates as, e.g. 050613JN (the first six being year-month-date, the last two characters are the time). Newer versions use strings like 091112_1600 (time is now in the last four characters). This function converts the old format into the new format

Usage

```
toLongDate(shortDate)
```

Arguments

| | |
|-----------|--|
| shortDate | This should be a vector of strings, each of length 8 characters. The first six characters of each element of shortDate are year, month, date. The last two characters encode the time of the experiment. |
|-----------|--|

Value

A vector of the same length as shortDate. The first six characters of each element are unchanged. The last five characters are now the time translated.

Author(s)

Oliver Kirchkamp

References

Urs Fischbacher. "z-Tree Manual 2.1 Experimenter's Manual". Zurich. 2002.

Examples

```
toLongDate("091112JN")
```

zTreeSbj

Read '.sbj' files generated by 'z-Tree' into R

Description

Read '.sbj' files which are written by the Microsoft Windows program 'z-Tree'. The latter is a software for developing and carrying out economic experiments (see <http://www.ztree.uzh.ch/> for more information).

Usage

```
zTreeSbj(files, sep = "\t", zTree.silent=getOption("zTree.silent"),
         zTree.encoding=getOption("zTree.encoding"), ignore.errors=FALSE)
```

Arguments

| | |
|----------------|--|
| files | A vector of 'z-Tree' .sbj filenames |
| sep | 'z-Tree' uses "\t" as a separator. If you have a manipulated file, you might need to change the separator. |
| zTree.silent | If TRUE, generates less verbose output. |
| zTree.encoding | zTree writes text files and seems to use latin1 (windows-1252) encoding for these files. |
| ignore.errors | Usually, zTreeSbj stops with an error when it detects a wrong encoding. With ignore.errors=TRUE it only generates a warning. |

Value

A data frame with one entry for each subject.

Author(s)

Oliver Kirchkamp

References

Urs Fischbacher. "z-Tree: Zurich Toolbox for Ready-made Economic Experiments." *Experimental Economics* (2) 171-178, 2007.

See Also

See also zTreeTables

Examples

```
## Not run:
files <- list.files(pattern = "*.sbj$",recursive=TRUE)
fname <- sub(".*/", "", files)
sbj <- zTreeSbj(aggregate(files,list(fname),function(x) x[1])$x)

## End(Not run)
```

zTreeTables

Read '.xls' files generated by 'z-Tree' into R

Description

Read '.xls' files which are written by the Microsoft Windows program 'z-Tree'. The latter is a software for developing and carrying out economic experiments (see <http://www.ztree.uzh.ch/> for more information).

Usage

```
zTreeTables(files, tables = c("globals", "subjects"), sep = "\t",
  zTree.silent=getOption("zTree.silent"),
  zTree.encoding=getOption("zTree.encoding"), ignore.errors=FALSE)
```

Arguments

| | |
|----------------|---|
| files | a vector of 'z-Tree' (xls-) filenames. |
| tables | a vector of table names. If you leave this empty, globals and subjects will be read. If you set tables=NULL, all tables will be read. |
| sep | Field separator. 'z-Tree' uses "\t" as a separator. If you have a manipulated file, you might need to change the separator. |
| zTree.silent | If TRUE, generates less verbose output. |
| zTree.encoding | zTree writes text files and seems to use latin1 (windows-1252) encoding for these files. |
| ignore.errors | Usually, zTreeTables stops with an error when it detects a wrong encoding or a manipulated file. With ignore.errors=TRUE it only generates a warning. |

Value

A list of all tables (e.g. "globals", "subjects", etc.)

Author(s)

Oliver Kirchkamp

References

Urs Fischbacher. "z-Tree: Zurich Toolbox for Ready-made Economic Experiments." *Experimental Economics* (2) 171-178, 2007.

See Also

See also zTreeSbj

Examples

```
## Not run:
zTT <- zTreeTables(c("080712_1412.xls", "080712_1818.xls"))
with(zTT$subjects, table(Treatment, Period))
To read all tables from all sessions in directories below the current one:
sessions<-list.files(".", "[0-9]{6}_[0-9]{4}.xls", recursive=TRUE)
zTT<-zTreeTables(sessions, tables=NULL)

## End(Not run)
```

Index

- * **character**

- toLongDate, 3

- * **data**

- toLongDate, 3

- zTreeSbj, 4

- zTreeTables, 5

- * **manip**

- zTreeSbj, 4

- zTreeTables, 5

- * **package**

- zTree-package, 2

toLongDate, 3

zTree (zTree-package), 2

zTree-package, 2

zTreeSbj, 4

zTreeTables, 5